

LED LIGHTS

Lighting Happiness

S R INDUSTRIES

Led Lighting Design & Manufacturing

2024

INDEX

PAGE NO.6



SR 003



SR 004



SR 007



SR 117



SR 094



SR 008

PAGE NO.7



SR 009




SR 010




SR 011



SR 013



SR 015



SR 016

PAGE NO.8



SR 020



SR 021



SR 025



SR 026



SR 151



SR 027

PAGE NO.9



SR 028



SR 200



SR 201



SR 183



SR 184



SR 185

PAGE NO.10



SR 188




SR 189



SR 190



SR 101



SR 35



SR 116

PAGE NO.11



SR 103



SR 104



SR 152



SR 105



SR 106



SR 114

PAGE NO.12



SR 038



SR 036



SR 037



SR 042



SR 029



SR 030

INDEX

PAGE NO.13



SR 031



SR 032



SR 124



SR 126



SR 127



SR 046

PAGE NO.14



SR 047




SR 125



SR 128



SR 129



SR 197



SR 198

PAGE NO.15



SR 193



SR 194



SR 049



SR 118



SR 057



SR 058

PAGE NO.16



SR 060



SR 061



SR 130



SR 131



SR 179



SR 180

PAGE NO.17



SR 150



SR 136



SR 137



SR 176



SR 171




SR 172

PAGE NO.18




SR 173




SR 160



SR 161



SR 162




SR 165



SR 166

PAGE NO.19



SR 167




SR 205



SR 206



SR 207




SR 081




SR 082

INDEX


PAGE NO.20




SR 083



SR 110



SR 084



SR 111




SR 085




SR 139


PAGE NO.21



SR 140



SR 141



SR 142



SR 096




SR 097



SR 098

PAGE NO.22



SR 099



SR 132



SR 133



SR 134



SR 135



SR 051

PAGE NO.23



SR 052



SR 053



SR 052x50W



SR 054



SR 063



SR 068

PAGE NO.24



SR 069



SR 70



SR 107



SR 108



SR 138



SR 113

PAGE NO.25



SR 119



SR 120



SR 121



SR 075




SR 076



SR 077

PAGE NO.26



SR 078



SR 079



SR 080



SR 122



SR 123



SR 086


PAGE NO.27



SR 087




SR 088



SR 089



SR 090




SR 091



SR 092

PAGE NO.28



SR 093



SR.003

Wattage - 3W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink Black Finish.
Color Temp - 2700k, 3000K, 4000K, 6500K
IP Grade - IP20
Size - Outer - 45mm, Cut Out - 35mm,
Depth - 28mm



SR.117

Wattage - 3W
Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink White Finish.
Color Temp - 3000K, 4000K,
Beam Angle - Narrow / Medium / Wide.
Lens- Frosted
IP Grade - IP20
Size - Outer - 40mm, Cut Out - 35mm,
Depth - 55mm



SR.004

Wattage - 3W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink Black Finish.
Color Temp - 2700K, 3000K, 4000K, 6000K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear
IP Grade - IP20
Size - Outer - 36mm, Cut Out - 28mm,
Depth - 50mm



SR.094

Wattage - 5W
Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink White Finish.
Color Temp - 2700k, 3000K, 4000K, 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear
IP Grade - IP20
Size - Outer - 52mm, Cut Out - 45mm,
Depth - 50mm



SR.007

Wattage - 5W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink Grey Finish.
Color Temp - 2700K, 3000K, 4000K, 6500K
Beam Angle - Narrow / Medium / Wide
Lens- Frosted
IP Grade - IP20
Size - Outer Trim - 45mm, Cut Out - 39mm,
Depth - 75mm



SR.008

Wattage - 9W
Mr-16 Retrofit
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear / Frosted
IP Grade - IP20
Size - Outer Trim - 50mm,
Depth - 65mm



SR.009

Wattage - 9W
Mr-16 Retrofit
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear
IP Grade - IP20
Size - Outer Trim - 50mm,
Depth - 55mm



SR.013

Wattage - 9W/13W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear
IP Grade - IP20
Size - Outer Trim - 99mm, Cut Out - 90mm,
Depth - 105mm/130mm



SR.010

Wattage - 15W
Mr-16 Retrofit
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear
IP Grade - IP20
Size - Outer Trim - 50mm,
Depth - 80mm




SR.015

Wattage - 9W/15W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear
IP Grade - IP20
Size - Outer Trim - 79mm, Cut Out - 67mm
Depth - 87mm/110mm



SR.011

Wattage - 10W
Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear
IP Grade - IP20
Size - Outer Trim - 73mm, Cut Out - 60mm,
Depth - 65mm



SR.016

Wattage - 9W/15W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear
IP Grade - IP20
Size - Outer Trim - 79mm,
Cut Out - 67mm,
Depth - 80mm/110mm



SR.020

Wattage - 12W
Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
White Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear
IP Grade - IP20
Size - Outer Trim - 90mm,
Cut Out - 75mm,
Depth - 80mm



SR.021

Wattage - 21W
Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
White Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear
IP Grade - IP20
Size - Outer Trim - 180MM x 90MM,
Cut Out - 165mm x 70mm,
Depth - 80mm



SR.025

Wattage - 12W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear / Frosted.
IP Grade - IP20
Size - Outer - 67mm, Cut Out - 57mm,
Depth - 68mm



SR.026

Wattage - 13W / 15W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear
IP Grade - IP20
Size - Outer - 83mm, Cut Out - 68mm,
Depth - 85mm



SR.151

Wattage - 21W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear
IP Grade - IP20
Size - Outer - 100mm, Cut Out - 90mm,
Depth - 95mm



SR.027

Wattage - 12W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear / Frosted
IP Grade - IP20
Size - Outer Trim - 70mm, Cut Out - 62mm,
Depth - 78mm



SR.028

Wattage -13W / 15W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear / Frosted
IP Grade - IP20
Size - Outer Trim - 85mm, Cut Out - 75mm,
Depth - 107mm



SR.183

Wattage -10W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
IP Grade - IP20
Size - Outer Trim - 60mm, Cut Out - 55mm,
Depth - 80mm



SR.200

Wattage -5W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Beam Angle - Narrow / Medium / Wide.
IP Grade - IP20
Size - Outer Trim - 42mm, Cut Out - 35mm,
Depth - 55mm



SR.184

Wattage -15W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Beam Angle - Narrow / Medium / Wide.
IP Grade - IP20
Size - Outer Trim - 70mm, Cut Out - 65mm,
Depth - 80mm



SR.201

Wattage -7W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K (Driver location remote)
Beam Angle - Narrow / Medium / Wide.
IP Grade - IP20
Size - Outer Trim - 52mm, Cut Out - 45mm,
Depth - 60mm



SR.185

Wattage -18W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K (Driver location remote)
Beam Angle - Narrow / Medium / Wide.
IP Grade - IP20
Size - Outer Trim - 85mm, Cut Out - 75mm,
Depth - 80mm

New



SR.188

Wattage - 7W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
IP Grade - IP20
Size - Outer Trim - 60mm, Cut Out - 55mm,
Depth - 60mm



SR.101

Wattage - 13W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear / Frosted
IP Grade - IP20
Size - Outer Trim - 85mm, Cut Out - 67mm,
Depth - 65mm

New



SR.189

Wattage - 15W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Beam Angle - Narrow / Medium / Wide.
IP Grade - IP20
Size - Outer Trim - 80mm, Cut Out - 75mm,
Depth - 75mm



SR.035

Wattage - 13W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear / Frosted
IP Grade - IP20
Size - Outer Trim - 85mm, Cut Out - 72mm,
Depth - 65mm

New



SR.190

Wattage - 20W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K (Driver location remote)
Beam Angle - Narrow / Medium / Wide.
IP Grade - IP20
Size - Outer Trim - 105mm, Cut Out - 100mm,
Depth - 85mm



SR.116

Wattage - 13/15W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear / Frosted
IP Grade - IP20
Size - Outer - 83mm, Cut Out - 75mm,
Depth - 85mm



SR.103

Wattage - 12W
Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear / Frosted
IP Grade - IP20
Size - Outer Trim - 86mm, Cut Out - 72mm,
Depth - 50mm



SR.105

Wattage - 5W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear / Frosted
IP Grade - IP20
Size - Outer - 40mm, Cut Out - 34mm, Depth - 58mm
Color Options - Rose Gold / Gold / Chrome / White / Black



SR.104

Wattage - 13W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear / Frosted
IP Grade - IP20
Size - Outer Trim - 85mm, Cut Out - 73mm,
Depth - 85mm



SR.106

Wattage - 12W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear / Frosted
IP Grade - IP20
Size - Outer - 60mm, Cut Out - 54mm, Depth - 85mm
Color Options - Rose Gold / Gold / Chrome / White / Black



SR.152

Wattage - 21W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear / Frosted
IP Grade - IP20
Size - Outer Trim - 100mm, Cut Out - 90mm,
Depth - 95mm



SR.114

Wattage - 12W
Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear / Frosted
IP Grade - IP20
Size - Outer Trim - 80mm, Cut Out - 72mm,
Depth - 95mm



SR.038

Wattage - 13W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder / Black Coated, Heat sink Black Finish.
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear / Frosted
IP Grade - IP20
Size - Outer - 85mm, Cut Out - 75mm,
Depth - 75mm
Color Options - Rose Gold / Gold / Chrome / White / Black



SR.042

Wall Washer
Wattage - 9W/13W
Non-Adjustable
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear
IP Grade - IP20
Size - Outer Trim - 95mm, Cut Out - 88mm,
Depth - 105mm/130mm



SR.036

Wattage - 9W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear
IP Grade - IP20
Size - Outer - 80mm, Cut Out - 70mm,
Depth - 79mm



SR.029

Wattage - 5W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Frosted
IP Grade - IP20
Size - Outer - 55mm, Cut Out - 48mm,
Depth - 95mm



SR.037

Wattage - 15W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear
IP Grade - IP20
Size - Outer - 108mm, Cut Out - 95mm,
Depth - 105mm



SR.030

Wattage - 10W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Frosted
IP Grade - IP20
Size - Outer Trim - 75mm, Cut Out - 67mm,
Depth - 100mm



SR.031

Wattage - 15W
 Non-Adjustable.
 Housing Material - Aluminum Die Cast.
 Finish - Frame White Powder Coated Heat sink Black Finish.
 Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
 Tuneable White - 2700K - 6500K
 Beam Angle - Narrow / Medium / Wide.
 Glass - Frosted
 IP Grade - IP20
 Size - Outer Trim - 90mm, Cut Out - 80mm,
 Depth - 118mm



SR.032

Wattage - 20W
 Non-Adjustable.
 Housing Material - Aluminum Die Cast.
 Finish - Frame White Powder Coated Heat sink Black Finish.
 Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
 Tuneable White - 2700K - 6500K
 Beam Angle - Narrow / Medium / Wide.
 Glass - Frosted
 IP Grade - IP20
 Size - Outer Trim - 128mm, Cut Out - 116mm,
 Depth - 128mm



SR.124

Wattage -9W
 355 Degree Adjustable
 Finish - White, Black & Chrome
 Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
 Tuneable White - 2700K - 6500K
 Lense - Frosted
 IP Grade - IP20
 Size - Outer Trim - 68mm
 Cut Out -58mm
 Depth - 25mm



SR.126

Wall Washer
 Wattage - 9W
 Non-Adjustable.
 Finish - Frame White Powder Coated Heat sink Black Powder Coated.
 Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
 Tuneable White - 2700K - 6500K
 Beam Angle - Asymmetric
 Glass - Frosted
 IP Grade - IP20
 Size - Outer Trim - 73mm
 Cut Out -65mm
 Depth - 45mm



SR.127

Split Wallwasher
 Wattage-9W
 Non-Adjustable.
 Finish - Frame White Powder Coated Heat sink Black Powder Coated.
 Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
 Tuneable White - 2700K - 6500K
 Beam Angle - Asymmetric
 Glass - Frosted
 IP Grade - IP20
 Size - Outer Trim - 73mm
 Cut Out -65mm
 Depth - 45mm



SR.046

Wattage - 7W
 Adjustable.
 Housing Material - Aluminum Die Cast.
 Finish - White & Black
 Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
 Beam Angle - Narrow / Medium / Wide.
 Glass - Clear
 IP Grade - IP20
 Size - Outer Trim - 40mm
 Height- 160mm



SR.047

Wattage - 12W
Adjustable.
Surface Light
Housing Material - Aluminum Die Cast.
Finish - Black and Gold,
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear
IP Grade - IP20
Size - Outer - 105mm, Height - 90mm



SR.129

Surface Light
Wattage -20W
Non -Adjustable.
Finish - White, Black
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Beam Angle- Medium
Glass-Clear
IP Grade - IP20
Size - Outer Trim - 92mm
Depth - 125mm



SR.125

Wattage -9W X 2=18W
355 Degree Adjustable
Finish - White, Black & Chrome
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Lense - Frosted
IP Grade - IP20



SR.197

Surface Light
Wattage -12W
Non - Adjustable.
Finish - White, Black
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Beam Angle- 90 Degree
Glass-Clear
IP Grade - IP20
Size - Outer Trim - 80mm
Depth - 95mm



SR.128

Surface Light
Wattage -12W
Non-Adjustable.
Finish - White, Black
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Beam Angle- Medium
Glass-Clear
IP Grade - IP20
Size - Outer Trim - 70mm
Depth - 100mm



SR.198

Surface Light
Wattage -18W
Non - Adjustable.
Finish - White, Black
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Beam Angle- 90 Degree
Glass-Clear
IP Grade - IP20
Size - Outer Trim - 100mm
Depth - 100mm



New

SR.193

Wattage - 10W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
IP Grade - IP20
Size - Outer Trim - 85mm, Cut Out - 75mm,
Depth - 70mm



SR.118

Wattage - 12W
Non-Adjustable.
Steam Proof Light
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Lens - Frosted
IP Grade - IP-44
Size - Outer Trim - 82mm, Cut Out - 66mm,
Depth - 75mm



New

SR.194

Wattage - 10W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700k, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
IP Grade - IP20
Size - Outer Trim - 85mm, Cut Out - 75mm,
Depth - 70mm



SR.057

Wattage - 7W
Adjustable | Trimless Option Available
Reflector Option-Black & Chrome
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Grey Finish.
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Lens - Frosted
IP Grade - IP20
Size - Outer Trim - 65mm, Cut Out - 57mm,
Depth - 85mm



SR.049

Wattage - 12W
Non-Adjustable.
Steam Proof Light
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Lens - Frosted
IP Grade - IP-44
Size - Outer Trim - 86mm, Cut Out - 70mm,
Depth - 85mm



SR.058

Wattage - 13W
Adjustable | Trimless Option Available
Reflector Option-Black & Chrome
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Grey Finish.
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Lens - Frosted
IP Grade - IP20
Size - Outer Trim - 88mm, Cut Out - 80mm,
Depth - 100mm



SR.060

Wattage - 7W
Adjustable | Trimless Option Available
Reflector Option-Black & Chrome
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Grey Finish.
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Lens - Frosted
IP Grade - IP20
Size - Outer Trim - 65mm, Cut Out - 57mm,
Depth - 85mm



SR.061

Wattage - 13W
Adjustable | Trimless Option Available
Reflector Option-Black & Chrome
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Grey Finish.
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Lens - Frosted
IP Grade - IP20
Size - Outer Trim - 86mm, Cut Out - 78mm,
Depth - 102mm



SR.130

Trimless SpotLight.
Wattage - 9W
Adjustable.
Reflector Option-Black , White & Antiglare
Finish - Frame White Powder Coated Heat sink
Gray Finish
Color Temp - 2700k, 3000K, 3500K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow, Medium, White
Lens - Frosted
IP Grade - IP20
Size - Outer Trim - 78mm
Cut Out -78mm
Depth - 65mm



SR.131

Trimless SpotLight.
Wattage - 13W
Adjustable.
Reflector Option-Black , White & Antiglare
Finish - Frame White Powder Coated Heat sink
Gray Finish
Color Temp - 2700k, 3000K, 3500K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow, Medium, White
Lens - Frosted
IP Grade - IP20
Size - Outer Trim - 101mm
Cut Out -101mm
Depth - 90mm



SR.179

Wattage - 10W
Fix & Adjustable Option available
Trim & Trimless option available
Reflector Gun Metal Black, Chrome
Finish - Frame White Powder Coated Heat sink
Black Finish
Color Temp - 2700k, 3000K, 3500K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow, Medium, White
Lens - Frosted
IP Grade - IP20
Size - Outer Trim - 55mm
Cut Out -50mm
Depth - 100mm



SR.180

Wattage - 15W
Fix & Adjustable Option available
Trim & Trimless option available
Reflector Gun Metal Black, Chrome
Finish - Frame White Powder Coated Heat sink
Black Finish
Color Temp - 2700k, 3000K, 3500K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow, Medium, White
Lens - Frosted
IP Grade - IP20
Size - Outer Trim - 70mm
Cut Out -65mm
Depth - 100mm



SR.150

Wattage - 7W
Adjustable.
Trimless Option Available
Reflector Option - Gun Metal Black, Chrome
Finish - Frame White Powder Coated Heat sink
Gray Finish
Color Temp - 2700k, 3000K, 3500K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow, Medium, White
Lense-Frosted
IP Grade - IP20
Size - Outer Trim - 62mm
Cut Out -55mm
Depth - 75mm



SR.136

Wattage - 13W
Adjustable.
Trimless Option Available
Reflector Option - Gun Metal Black, Chrome
Finish - Frame White Powder Coated Heat sink
Gray Finish
Color Temp - 2700k, 3000K, 3500K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow, Medium, White
Lense-Frosted
IP Grade - IP20
Size - Outer Trim - 85mm
Cut Out -75mm
Depth - 90mm



SR.137

Wattage - 21W
Adjustable.
Trimless Option Available
Reflector Option - Gun Metal Black, Chrome
Finish - Frame White Powder Coated Heat sink
Gray Finish
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow, Medium, White
Lense-Frosted
IP Grade - IP20
Size - Outer Trim - 104mm
Cut Out - 95mm
Depth - 115mm



SR.176

Wattage - 40W
Adjustable
Trimless Option Available.
Reflector Option - Gun Metal Black, Chrome
Finish - Frame White Powder Coated Heat sink
Gray Finish
Color Temp - 2700k, 3000K, 3500K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow, Medium, White
Lense-Frosted
IP Grade - IP20
Size - Outer Trim - 168 mm
Cut Out -145 mm
Depth - 179 mm



SR.171

Wattage - 10W
Adjustable.
Trimless Option Available
Reflector Option - Gun Metal Black,Rose Gold
Finish - Frame White Powder Coated Heat sink
Gray Finish
Color Temp - 2700k, 3000K, 3500K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow, Medium, White
Lense-Frosted
IP Grade - IP20
Size - Outer Trim - 75mm
Cut Out -65mm
Depth - 75mm



SR.172

Wattage - 13W
Adjustable.
Trimless Option Available
Reflector Option - Gun Metal Black,Rose Gold
Finish - Frame White Powder Coated Heat sink
Gray Finish
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow, Medium, White
Lense-Frosted
IP Grade - IP20
Size - Outer Trim - 85mm
Cut Out - 75mm
Depth - 75mm




SR.173

Wattage - 18W
Adjustable.
Trimless Option Available
Reflector Option - Gun Metal Black, Rose Gold
Finish - Frame White Powder Coated Heat sink
Gray Finish
Color Temp - 2700k, 3000K, 3500K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow, Medium, White
Lense-Frosted
IP Grade - IP20
Size - Outer Trim - 95mm
Cut Out -85mm
Depth - 90mm




SR.162

Wattage - 7W
Trimless
Finish - Frame White Powder Coated, Heat sink
Black Finish
Color Temp - 2700k, 3000K, 3500K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow, Medium, White
Lense-Frosted
IP Grade - IP20
Size - Outer Trim - 56mm
Cut Out -35mm
Depth - 85mm



SR.160

Wattage - 7W
Finish - Frame White Powder Coated, Heat sink
Black Finish
Color Temp - 2700k, 3000K, 3500K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow, Medium, White
Lense-Frosted
IP Grade - IP20
Size - Outer Trim - 45mm
Cut Out -35mm
Depth - 85mm



SR.165

Wattage - 12W
Finish - Frame White Powder Coated, Heat sink
Black Finish
Color Temp - 2700k, 3000K, 3500K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow, Medium, White
Lense-Frosted
IP Grade - IP20
Size - Outer Trim - 50mm
Cut Out -45mm
Depth - 115mm



SR.161

Wattage - 7W
Adjustable
Finish - Frame White Powder Coated, Heat sink
Black Finish
Color Temp - 2700k, 3000K, 3500K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow, Medium, White
Lense-Frosted
IP Grade - IP20
Size - Outer Trim - 45mm
Cut Out -35mm
Depth - 85mm



SR.166

Wattage -12W
Adjustable
Finish - Frame White Powder Coated, Heat sink
Black Finish
Color Temp - 2700k, 3000K, 3500K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow, Medium, White
Lense-Frosted
IP Grade - Ip20
Size - Outer Trim - 50mm
Cut Out -45mm
Depth - 115mm



SR.167

Wattage - 12W
Trimless
Finish - Frame White Powder Coated, Heat sink
Black Finish
Color Temp - 2700k, 3000K, 3500K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow, Medium, White
Lense-Frosted
IP Grade - IP20



New

SR.207

Wattage - 18W
Adjustable
Trim & Trimless options available
Reflector oprion Mate white, Mate Black
Finish - Frame White Powder Coated, Heat sink
Black Finish
Color Temp - 2700k, 3000K, 3500K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow, Medium, White
IP Grade - IP20
Size - Outer Trim - 67mm
Cut Out - 57mm
Depth -135mm



New

SR.205

Wattage - 7W
Adjustable
Trim & Trimless options available
Reflector oprion Mate white, Mate Black
Finish - Frame White Powder Coated, Heat sink
Black Finish
Color Temp - 2700k, 3000K, 3500K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow, Medium, White
IP Grade - IP20
Size - Outer Trim - 50mm
Cut Out -40mm
Depth -65mm



SR.081

Wattage - 2W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
White Powder Coted.
Color Temp - 3000K, 4000K, 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear
IP Grade - IP20
Size - Outer Trim - 45mm x 45mm
Cut Out - 37mm x 37mm
Depth - 49mm



New

SR.206

Wattage - 12W
Adjustable
Trim & Trimless options available
Reflector oprion Mate white, Mate Black
Finish - Frame White Powder Coated, Heat sink
Black Finish
Color Temp - 2700k, 3000K, 3500K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow, Medium, White
IP Grade - IP20
Size - Outer Trim - 58mm
Cut Out -48mm
Depth -105mm



SR.082

Wattage - 4W
Non-Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
White Powder Coted.
Color Temp - 3000K, 4000K, 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear
IP Grade - IP20
Size - Outer - 75mm x 45mm,
Cut Out - 68mm x 37mm
Depth - 49mm



SR.083

Wattage - 12W
 Non-Adjustable.
 Housing Material - Aluminum Die Cast.
 Finish - Frame White Powder Coated Heat sink
 White Powder Coted.
 Color Temp - 3000K, 4000K, 6500K
 Tuneable White - 2700K - 6500K
 Beam Angle - Narrow / Medium / Wide.
 Glass - Clear
 IP Grade - IP20
 Size - Outer Trim - 147mm x 45mm
 Cut Out - 140mm x 37mm
 Depth - 49mm



SR.111

Wall-Washer
 Wattage - 21W
 Non-Adjustable.
 Housing Material - Aluminum Die Cast.
 Finish - Frame White Powder Coated Heat sink
 White Powder Coted.
 Color Temp - 3000K, 4000K, 6500K
 Beam Angle - Narrow / Medium / Wide.
 Glass - Frosted
 IP Grade - IP20
 Size - Outer Trim - 280mm x 45mm
 Cut Out - 273mm x 37mm
 Depth - 49mm



SR.110

Wall-Washer
 Wattage - 12W
 Non-Adjustable.
 Housing Material - Aluminum Die Cast.
 Finish - Frame White Powder Coated Heat sink
 White Powder Coted.
 Color Temp - 3000K, 4000K, 6500K
 Beam Angle - Narrow / Medium / Wide.
 Glass - Frosted
 IP Grade - IP20
 Size - Outer Trim - 147mm x 45mm
 Cut Out - 140mm x 37mm
 Depth - 49mm



SR.085

Wattage - 30W
 Non-Adjustable.
 Housing Material - Aluminum Die Cast.
 Finish - Frame White Powder Coated Heat sink
 White Powder Coted.
 Color Temp - 3000K, 4000K, 6500K
 Beam Angle - Narrow / Medium / Wide.
 Glass - Clear
 IP Grade - IP20
 Size - Outer Trim - 413mm x 45mm
 Cut Out -405mm x 37mm
 Depth - 49mm



SR.084

Wattage - 21W
 Non-Adjustable.
 Housing Material - Aluminum Die Cast.
 Finish - Frame White Powder Coated Heat sink
 White Powder Coted.
 Color Temp - 3000K, 4000K, 6500K
 Tuneable White - 2700K - 6500K
 Beam Angle - Narrow / Medium / Wide.
 Glass - Clear
 IP Grade - IP20
 Size - Outer Trim - 280mm x 45mm
 Cut Out - 273mm x 37mm
 Depth - 49mm



SR.139

Wattage - 4W
 Non-Adjustable.
 Housing Material - Aluminum Die Cast.
 Finish - Frame White Powder Coated Heat sink
 White Powder Coted.
 Color Temp - 3000K, 4000K, 6500K
 Beam Angle - Narrow / Medium / Wide.
 Glass - Clear
 IP Grade - IP20
 Size - Outer Trim - 57mm x 35mm
 Depth - 66mm




SR.140

Wattage - 7W
 Non-Adjustable.
 Housing Material - Aluminum Die Cast.
 Finish - Frame White Powder Coated Heat sink
 White Powder Coted.
 Color Temp - 3000K, 4000K, 6500K
 Beam Angle - Narrow / Medium / Wide.
 Glass - Clear
 IP Grade - IP20
 Size - Outer Trim - 84mm x 35mm
 Depth - 66mm



SR.141

Wattage - 10W
 Non-Adjustable.
 Housing Material - Aluminum Die Cast.
 Finish - Frame White Powder Coated Heat sink
 White Powder Coted.
 Color Temp - 3000K, 4000K, 6500K
 Beam Angle - Narrow / Medium / Wide.
 Glass - Clear
 IP Grade - IP20
 Size - Outer Trim - 136mm x 35mm
 Depth - 66mm



SR.142

Wattage - 20W
 Non-Adjustable.
 Housing Material - Aluminum Die Cast.
 Finish - Frame White Powder Coated Heat sink
 White Powder Coted.
 Color Temp - 3000K, 4000K, 6500K
 Beam Angle - Narrow / Medium / Wide.
 Glass - Clear
 IP Grade - IP20
 Size - Outer Trim - 270mm x 35mm
 Depth - 66mm



SR.096

Wattage - 9W
 Non-Adjustable.
 Housing Material - Aluminum Die Cast.
 Finish - Frame White Powder Coated Heat sink
 White Finish.
 Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
 Tuneable White - 2700K - 6500K
 Beam Angle - Narrow / Medium / Wide.
 Glass - Frosted
 IP Grade - IP20
 Size - Outer Trim - 70MM x 70MM,
 Cut Out - 62mm x 62mm,
 Depth - 60mm



SR.097

Wattage - 9W X 2 = 18W
 Non-Adjustable.
 Housing Material - Aluminum Die Cast.
 Finish - Frame White Powder Coated Heat sink
 White Finish.
 Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
 Tuneable White - 2700K - 6500K
 Beam Angle - Narrow / Medium / Wide.
 Glass - Frosted
 IP Grade - IP20
 Size - Outer Trim - 120MM x 70MM,
 Cut Out - 112mm x 62mm,
 Depth - 60mm



SR.098

Wattage - 15W
 Non-Adjustable.
 Housing Material - Aluminum Die Cast.
 Finish - Frame White Powder Coated Heat sink
 White Finish.
 Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
 Tuneable White - 2700K - 6500K
 Beam Angle - Narrow / Medium / Wide.
 Glass - Frosted
 IP Grade - IP20
 Size - Outer Trim - 90MM x 90MM,
 Cut Out - 82mm x 82mm,
 Depth - 75mm



SR.099

Wattage - 15W X 2 = 30W
 Non-Adjustable.
 Housing Material - Aluminum Die Cast.
 Finish - Frame White Powder Coated Heat sink
 White Finish.
 Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
 Tuneable White - 2700K - 6500K
 Beam Angle - Narrow / Medium / Wide.
 Glass - Frosted
 IP Grade - IP20
 Size - Outer Trim - 160MM x 90MM,
 Cut Out - 152mm x 82mm,
 Depth - 75mm



SR.134

Wattage - 15W
 Finish - Frame White Powder Coated Heat sink
 White Powder Coted.
 Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
 Tuneable White 2700K to 6500K
 Beam Angle - Narrow, Medium, Wide
 Glass - Frosted
 IP Grade - IP20
 Size - Outer Trim - 85mm
 Cut Out -75mm
 Depth - 105mm



SR.132

Wattage - 9W
 Non-Adjustable.
 Finish. Frame white coated Heat sink
 White Finish
 Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
 Tuneable White - 2700K - 6500K
 Glass- Frosted
 Beam Angle - Narrow, Medium, Wide
 IP Grade - IP20
 Size - Outer Trim - 69mm
 Cut Out -59mm
 Depth - 85mm



SR.135

Wattage - 15W X 2=30W
 Non-Adjustable.
 Finish. Frame white coated Heat sink
 White Finish
 Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
 Tuneable White - 2700K - 6500K
 Glass- Frosted
 Beam Angle - Narrow, Medium, Wide, 6000K
 IP Grade - IP20
 Size - Outer Trim - 155x85mm
 Cut Out -145x75mm
 Depth - 105mm



SR.133

Wattage - 9W X 2=18W
 Non -Adjustable.
 Finish. Frame white coated Heat sink
 White Finish
 Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
 Tuneable White 2700K to 6500K
 Glass- Frosted
 Beam Angle - Narrow, Medium, Wide
 Size - Outer Trim - 120x70mm
 Cut Out -110x60mm
 Depth - 90mm



SR.051

Wattage - 13W
 Adjustable.
 Housing Material - Aluminum Die Cast.
 Finish - Frame White Powder Coated Heat sink
 Black Finish.
 Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
 Tuneable White - 2700K - 6500K
 Beam Angle - Narrow / Medium / Wide.
 Glass - Clear
 IP Grade - IP20
 Size - Outer Trim - 85mm, Cut Out - 65mm,
 Depth - 65mm



SR.052

Wattage - 25W
Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
White Finish.
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear
IP Grade - IP20
Size - Outer - 110mm, Cut Out - 100mm,
Depth - 95mm



SR.054

Wattage - 13W
Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear
IP Grade - IP20
Size - Outer Trim - 85mm, Cut Out - 65mm,
Depth - 65mm



SR.053

Wattage - 35W
Movable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
White Finish.
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear
IP Grade - IP20
Size - Outer - 122mm, Cut Out - 115mm,
Depth - 115mm



SR.063

Wattage - 13W
Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear
IP Grade - IP20
Size - Outer Trim - 93mm, Cut Out - 70mm,
Depth - 100mm



SR.052-50

Wattage - 50W
Adjustable.
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
White Finish.
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear
IP Grade - IP20
Size - Outer - 240mm x 120mm, Cut Out - 230mm x 115mm,
Depth - 95mm



SR.068

Wattage - 13W
Adjustable.
Led Zoom Light
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
white Finish.
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear
IP Grade - IP20
Size - Outer Trim - 95mm, Cut Out - 85mm,
Depth - 75mm



SR.069

Wattage - 20W
Adjustable.
Led Zoom Light
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink white
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear
IP Grade - IP20
Size - Outer Trim - 149mm, Cut Out - 133mm,
Depth - 115mm



SR.070

Wattage - 30W
Adjustable.
Led Zoom Light
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink White Finish.
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Size - Outer Trim - 149mm, Cut Out - 133mm,
Depth - 115mm



SR.107

Wattage - 7W
Adjustable.
Led Track Light
Housing Material - Aluminum Die Cast.
Finish - White Powder Coated / Black Powder coated,
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear / Frosted
IP Grade - IP20



SR.108

Wattage - 13W
Adjustable.
Led Track Light
Housing Material - Aluminum Die Cast.
Finish - White Powder Coated / Black Powder coated,
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear
IP Grade - IP20



SR.138

Wattage - 13W
Adjustable.
Surface Track Light
Housing Material - Aluminum Die Cast.
Finish - White Powder Coated / Black Powder coated,
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear
IP Grade - IP20



SR.113

Wattage - 13W
Adjustable.
Recessed Led Track Light
Housing Material - Aluminum Die Cast.
Finish - White Powder Coated / Black Powder coated,
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Tuneable White - 2700K - 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Clear / Frosted
IP Grade - IP20



SR.119

Wattage - 30W
Adjustable.
Led Track Light
Housing Material - Aluminum Die Cast.
Finish - White Powder Coated /
Black Powder coated,
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Beam Angle - Narrow / Medium / Wide.
Glass - Frosted
IP Grade - IP20



SR.120

Wattage - 21W
Adjustable.
Led Track Light
Housing Material Aluminium Die Cast
Finish- White Powder Coted/
Black Powder Coated.
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Beam Angle - Narrow, Medium, Wide
Glass - Clear
IP Grade - IP20



SR.121

Wattage - 30W
Adjustable.
Led Track Light
Housing Material Aluminium Die Cast
Finish- White Powder Coted/
Black Powder Coated.
Color Temp - 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Beam Angle - Narrow, Medium, Wide
Glass - Clear
IP Grade - IP20



SR.075

Wattage - 13W
Non-Adjustable.
Down Light
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 3000K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Glass - Diffuse.
IP Grade - IP20
Size - Outer Trim - 120mm, Cut Out - 112mm,
Depth - 50mm



SR.076

Wattage - 18W
Non-Adjustable.
Down Light
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 3000K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Glass - Diffuse.
IP Grade - IP20
Size - Outer - 155mm, Cut Out - 147mm,
Depth - 55mm



SR.077

Wattage - 22W
Non-Adjustable.
Down Light
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 3000K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Glass - Diffuse.
IP Grade - IP20
Size - Outer - 175mm, Cut Out - 167mm,
Depth - 55mm



SR.078

Wattage - 13W
Non-Adjustable.
Down Light
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 3000K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Glass - Diffuse.
IP Grade - IP20
Size - Outer -110mm x 110mm
Cut Out - 100mm x 100mm, Depth - 50mm



SR.079

Wattage - 18W
Non-Adjustable.
Down Light
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 3000K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Glass - Diffuse.
IP Grade - IP20
Size - Outer Trim - 145mm x 145mm
Cut Out - 135mm x 135mm, Depth - 55mm



SR.080

Wattage -22W
Non-Adjustable.
Down Light
Housing Material - Aluminum Die Cast.
Finish - Frame White Powder Coated Heat sink
Black Finish.
Color Temp - 3000K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Glass - Diffuse.
IP Grade - IP20
Size - Outer Trim - 170mm x 170mm
Cut Out -160mm x 160mm, Depth-55mm



SR.122

Wattage -12W
Down Lights
Non-Adjustable.
Finish - Frame White Powder Coated Heat sink
White Finish
Color Temp - 3000K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Glass-Diffuse
IP Grade - IP20
Size - Outer Trim - 103mm
Cut Out -95mm
Depth - 35mm



SR.123

Wattage - 18W
Down Lights
Non-Adjustable.
Finish - Frame White Powder Coated Heat sink
White Finish
Color Temp - 3000K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Glass-Diffuse
IP Grade - IP20
Size - Outer Trim - 155mm
Cut Out -147mm
Depth - 35mm



SR.086

Linear Profile for Led Strip
Surface Mounted
Housing Material - Aluminum
Finish Silver anodized
Glass - Diffuse.
IP Grade - IP20
Size - Outer Trim - 15mm, Height - 6mm,



SR.087

Linear Profile for Led Strip
Surface Mounted
Housing Material - Aluminum
Finish Silver anodized
Glass - Diffuse.
IP Grade - IP20
Size - Outer Trim - 16mm, Height - 12mm,



SR.090

Wattage - 36W Per 1mtr.
Linear Profile High Power
Surface / Suspended
Housing Material - Aluminum
Finish Silver anodized
Color Temp - 3000K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Glass - Diffuse.
IP Grade - IP20
Size - Outer Trim - 50mm, Height - 37mm.



SR.088

Linear Profile for Led Strip
Surface Mounted
Housing Material - Aluminum
Finish Silver anodized
Glass - Diffuse.
IP Grade - IP20
Size - Outer Trim - 22mm, Height - 17mm,



SR.091

Wattage - 36W Per 1mtr.
Linear Profile High Power
Surface / Suspended
Housing Material - Aluminum
Finish Silver anodized
Color Temp - 3000K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Glass - Diffuse.
IP Grade - IP20
Size - Outer Trim - 50MM,
Height - 75mm



SR.089

Wattage - 36W Per 1mtr.
Linear Profile High Power
Surface / Suspended
Housing Material - Aluminum
Finish Silver anodized
Color Temp - 3000K, 4000K, 6500K
Glass - Diffuse.
IP Grade - IP20
Size - Outer Trim - 35mm, Height - 35mm.



SR.092

Wattage - 24W Per Mtr.
Concealed Linear Profile High Power.
Housing Material - Aluminum
Finish Silver anodized
Color Temp - 3000K, 4000K, 6500K
Tuneable White - 2700K - 6500K
Glass - Diffuse.
IP Grade - IP20
Size - Outer Trim - 45mm, Cut Out - 35mm,
Height - 37mm



SR.093

Wattage- 36W Per 1 Mtr.

Concealed Linear Profile High Power.

Housing Material - Aluminum

Finish Silver anodized

Color Temp - 3000K, 4000K, 6500K

Tuneable White - 2700K - 6500K

Glass - Diffuse.

IP Grade - IP20

Size - Outer - 65mm, Cut Out - 50mm,

Height - 32mm.



LED LIGHTS

S R INDUSTRIES

Led Lighting Design & Manufacturing

101 & 102, Geeta Industrial Estate, 1st Floor, I.B. Patel Road,
Next to Laghu Udyog, Goregaon East,
Mumbai-400 063, Maharashtra, India.

sales@srledlights.com
info@srledlights.com
www.srledlights.com

+91 8355997393 / +91 8104437069



**WE ARE NOW AVAILABLE ON :
SR LED LIGHTS**

